MDE's intent to seek a Priority Funding Area (PFA) funding exception for Garrett Mobile Home Park, Cook's Convenience Store and Park Hall Post Office in St. Mary's County

Background: The Bay Restoration (Septic) Fund (BRF) requires MDE to provide an opportunity for Public Comment and/or Public Hearing in cases where there are On-site Sewage Disposal Systems (OSDS)/septic systems are located outside the State Priority Funding Area (PFA) and where BRF grant funding is being proposed for the public sewer connections. After addressing the public comments, if any, MDE intends to seek a PFA funding exception from the Smart Growth Coordinating Committee chaired by the Maryland Department of Planning (MDP).

Public Comment Period: Through <u>June 29, 2019</u>. Send e-mail comments to jerry.warner@maryland.gov.

Project: Sewer collection system for these properties include an existing Mobile Home Park, Food Service Facility and Post Office in St. Mary's County consisting of a total of 32 existing homes/businesses (30 mobile home sites, 2 businesses). The properties consist of 32 equivalent dwelling units (EDUs). The sewer will ultimately be conveyed to and treated at the Marley-Taylor wastewater treatment plant (ENR plant).

Water Quality & Public Health Issues: The County Health Department determination is summarized below: The two properties are served by a septic system that has been documented by the St. Mary's County Division of Environmental Health to be in a state of failure. To mitigate this failure, a "pump and haul" order has been initiated to prevent the system from discharging sewage to the ground surface and ultimately into adjacent ditches and the St. Mary's River watershed. Due to several factors, the properties will not support the replacement of the septic system. The most limiting factors include limited available area for a replacement onsite septic system coupled with impermeable soils.

BRF Funding Eligibility: Up to \$15,000 per existing mobile home site, food service facility and post office; maximum of \$480,000 or actual prorated sewer collection system cost, whichever is lower.

Potential New Growth: No new growth to be proposed with this connection.

Measures Taken to Mitigate New Growth: Restricted use of the service line


Potential Nitrogen Reduction:

Approx. Total Nitrogen (TN) Discharged (lb/yr)	Total TN Reduced
	(lb/yr)
777.6	000
388.8	388.8
76.8	700.8
	777.6 388.8

^{*}Includes nutrient loading from infill development

Attachment: Location Map

ArcGIS Web Map



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS,

Printed from the Public GIS Map Provided by the St Marys County Government

ArcGIS Web Map



Road Centerlines → State, Active County, Active --> Leonardtown, Not Active -> Future County, Active → Leonardtown, Active County, Not Active --> Private, Not Active Private, Active --> Future County, Not Active Property Boundaries MD iMAP, DolT 0.02 0.01 0.04 1:2,257 0.03 0.09 km

Printed from the Public GIS Map Provided by the St Marys County Government